



# Gallene Sciences Pvt. Ltd.

## QUALITY CONTROL DEPARTMENT USP

Page 1 of 1

### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : DECAGEN 250 1ML INJECTION	<b>A.R. No.</b> : HMPAP70781
<b>Packing</b> : 1 ML	<b>Rel. Dt.</b> : 08-03-2018
<b>Generic Name</b> : NANDROLONE DECANOATE 250MG/ML 1ML INJECTION USP	<b>T.R. Slip No.</b> : MLPTR70492
<b>Product Code</b> : DECA03	<b>T.R. Slip Dt.</b> : 21-02-2018
<b>Batch No.</b> : EM-18005	<b>Analysis Date</b> : 21-02-2018
<b>Actual Batch Size</b> : 63 LTR	<b>Mfg. Dt.</b> : 21/02/2018
<b>Packing Batch Size</b> : 63 LTR	<b>Exp. Dt.</b> : 31/01/2021
<b>Sample Size</b> : 50.000 AMP	<b>Test Packing</b> : 50 AMP
<b>Released Qty</b> : 63.000 LTR	<b>Mfg. Lic No.</b> : G671
	<b>Test As Per</b> : USP

**Location** : HIMATNAGAR  
**Make** : MLPL

Sr.	Test	Result	Specification
1	DESCRIPTION	Clear liquid	Should Comply
2	IDENTIFICATION	Complies	Should Comply
3	EXTRACTABLE VOLUME	1.2 ml	NLT 1.0 & NMT 1.2 ml
4	STERILITY	Complies	Must be sterile
5	Limit of Nandrolone	Complies	Should Comply
6	ASSAY	100.41 %	1) Nandrolone Decanoate 250MG (Limit : 90.0 % - 110.0 %)

**Conclusion** : The above sample complies as per USP

In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

<b>Prepared by</b> vidw	<b>Checked by</b> B...	<b>Approved by</b> 
----------------------------	---------------------------	------------------------

FGANLCE