





# Gallene Sciences Pvt. Ltd.

QUALITY CONTROL DEPARTMENT  
CERTIFICATE OF ANALYSIS  
(FINISHED PRODUCT)

COMMERCIAL NAME	TURIGEN 10				
PRODUCT NAME	CHLORDEHYDROMETHYLTTESTOSTERONE TABLET 10 MG				
BATCH NO	180223	REFERENCE	HPLC		
MFG DATE	02/2018	A.R. NO	DF/17/223		
EXPIRY DATE	01/2021	DATE OF SAMPLING	13/03/2018		
SAMPLE QUANTITY	100 TABLETS	DATE OF RELEASE	16/03/2018		
BATCH SIZE	1.05 LAC TAB				
SR. NO	TESTS	OBSERVATIONS	LIMITS/SPECIFICATION		
1	DESCRIPTION	White Colour Concave shape uncoated tablets	White to Off White Colour Concave shape uncoated tablets		
2	IDENTIFICATION	Complies	As per BP		
3	WEIGHT OF 20 TABLETS	03.978 gm	04.010 gm $\pm$ 3.0 %		
4	UNIFORMITY OF WEIGHT	198.94 MG	200.50 mg $\pm$ 7.5 %		
5	UNIFORMITY OF CONTENT	Complies	NLT 85 % and NMT 115 %		
6	DISINTEGRATION TIME	3 min 43 sec	NMT 15 min		
7	HARDNESS	4.0 kg/cm <sup>2</sup>	NLT 3.0 kg/cm <sup>2</sup>		
8	FRIABILITY	0.57 % w/w	NMT 1.0 % w/w		
9	RELATED SUBSTANCES Single Impurity Total Impurities	COMPLIES COMPLIES	NMT 3% NMT 5.7 %		
10	ASSAY Each uncoated tablet contains Chlordehydromethyltestosterone	Obtained 09.90 mg	% 99.03 %	Label Claim 10 mg	Limit NLT 90 % and NMT 110 %

**CONCLUSION :** In the opinion of the undersigned, the sample referred to above is **OF STANDARD QUALITY / IS NOT OF STD. QUALITY** of ~~IP~~ / ~~BP~~ / ~~USP~~ / ~~IHS~~ as of in above respects defined in the act and the rules made there under.

ANALYSIS BY   
DATE 16/03/2018

Q.C  
INCHARGE   
DATE 16/03/2018